

**Notice of Allowability**

Application No.

10/720,278

Applicant(s)

POIRAUD, ALAIN

Examiner

Art Unit

Ajay Vasudeva

3617

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 6/13/2005.
2. ☒ The allowed claim(s) is/are 1-3 and 5-14.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
- ☒ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☒ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |  |  |
|--|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application                      |
| 2. <input checked="" type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)            | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br>Paper No./Mail Date _____    | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|  | 9. <input type="checkbox"/> Other _____.   |

## DETAILED ACTION

### *Allowable Subject Matter*

1. Claims 1-3 and 5-14 are allowed.
2. Upon further consideration of Applicant's arguments and the disclosure of previously applied reference FR 2820108 (*see page 5, lines 19-22 of the English translation of FR '108*), a ballasted fluke of an anchor has been interpreted as a fluke with an additional quantity of material that causes the fluke to have a substantially non-uniform thickness, wherein the additional quantity of material may or may not be formed integrally with the fluke.

By inference, therefore, an unballasted fluke is interpreted as a fluke that has at least a substantially uniform – or constant -- thickness.

3. In view of the above described meaning of the term “unballasted anchor”, the following is an examiner's statement of reasons for allowance:

The prior art of record does not show or teach, alone or in combination, an asymmetric boat anchor comprising a shank and an unballasted fluke, the unballasted fluke having a tip and a back with a curved edge, the shank mounted on the half portion of the unballasted fluke near to the tip and having an opening at an end opposite the fluke; wherein an edge of the shank away from the tip of the fluke is curved; and wherein the opening is offset from a plane tangent to the back edge of the fluke and to the edge of the shank.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Art Unit: 3617

***Drawings***

4. Applicant is requested to submit formal drawings, including changes to fig. 2 (see *replacement drawings filed 13 June, 2006*) that have been approved.

***Conclusion***

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ajay Vasudeva whose telephone number is (571) 272-6689. The examiner can normally be reached on Monday-Friday 12:00 -- 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, S. Joe Morano can be reached on (571) 272-6684. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ajay Vasudeva  
Examiner  
Art Unit 3617

*Ajay Vasudeva*  
9/04/06  
**AJAY VASUDEVA  
PATENT EXAMINER**